

Domestic company phone: 4007567068:  
Hong Kong company phone: 085230697009. cell phone: 8613917849689:  
Whatsapp: 8613917856548:  
Email: landiii@foxmail.com.  
Domestic website: [www.xiansd.com](http://www.xiansd.com)  
International website:  
[www.xiansh.cn](http://www.xiansh.cn): [www.en.xiansh.cn](http://www.en.xiansh.cn)




Cloud Birch Group



Welcome customers at  
home and abroad to  
visit our company's  
production base, if you  
need to establish  
various poultry farms.



Committed to  
To be the leading  
technology  
world-class  
feeding machinery  
manufacturing  
and engineering  
services.



From the blueprint to the completion of the equipment, the quality of Ruihang is gathered by craftsmanship, and the precision gene is engraved in the blood of the enterprise.

The gene of craftsmanship is engraved in the blood of the enterprise, from quality control, engineering tasting, construction

From quality control, engineering tasting, construction technology and other dimensions, Ruihang has realized the high standard for the products of Duanhang.

Realizing the high standard and strict requirements for the products of Ruihang, the quality and attitude conveyed are the best products for every customer. quality and attitude is the best reward for every customer who trusts Ruihang.

About us:

Enterprise Spirit: Pragmatism, strive to exceed, seek higher.

Enterprise vision: to set up industry benchmarks, create a world brand

Enterprise Mission: Improve ourselves, pursue excellence, and contribute to the society.

Enterprise talent concept: selecting the wise and appointing the capable, not sticking to one pattern.

Enterprise brand strategy: first-class equipment, first-class products, first-class brand.

Business philosophy: customer first, sustainable service, win-win cooperation.

Enterprise service concept: zero-defect products, zero-distance service.

Enterprise development strategy: one industry as the main, multi-industry, iterative upgrade

Enterprise core values: loyalty, commitment, innovation, trustworthiness



Domestic company phone: 4007567068:

Hong Kong company phone: 085230697009

cell phone: 8613917849689: Whatsapp: 8613917856548: Email: landiii@foxmail .com.

Domestic website: [www.xiansd.com](http://www.xiansd.com) International website: [www.xiansh.cn](http://www.xiansh.cn) : [www.en.xiansh.cn](http://www.en.xiansh.cn)



Yunhua Group is located in Rui Hang Road, Industrial Clustering Zone, Xiping County, Henan Province, covering an area of more than 216 acres, with a project investment of 500 million yuan, and the construction of standardized workshops of more than 60,000 square meters. It has the first flexible intelligent animal husbandry production line in China, automatic plane two-dimensional laser cutting machine, full servo CNC bending machine, full servo automatic feeding shearing machine, CNC turret punch press and other advanced equipment. The company's main production products are: 1. automated egg and broiler breeding equipment, brooder equipment. 2. broiler duck breeding equipment. 3. livestock and poultry farm steel engineering equipment. 4, to undertake livestock and poultry breeding EPC projects.

Since its founding in 2019, the company has been committed to the development requirements of automation, intellectualization and environmental protection, and its products have been constantly innovated and upgraded, and have been well received by the majority of customers. At present, Henan Ruihang has become the quality supplier of Makin Group, Wen's Group, New Hope Group, Zhengbang Group and Twins Group.

Yunhua Group is willing to work with you hand in hand, win-win cooperation and create brilliant!



### Introduction to Intelligent Workshop

In 2019, the company applied the automobile intelligent production line technology to livestock equipment production according to the standard of Industry 4.0, and has invested more than 50 million yuan to introduce 126 sets of production equipment such as welding robot production line, laser cutting machine, AGV, automatic loading machine, pneumatic positioner, pipe bender, visualization management system, etc., and has built the first “flexible intelligent livestock production line” in China. Intelligent animal husbandry production line”.

The production line is mainly based on the pig equipment welding process requirements, the use of intelligent industrial control technology, modular system design, refined process management and flexible fixtures and fittings switching design combination. It mainly consists of seven systems: automatic discharging system, flexible automatic welding system, safety and environmental protection system, automatic logistics system, visualized production management system, dual airway system, and automatic control system for the whole line. The completion of this production line has set a benchmark for intelligent production in the livestock industry. It mainly enhances the production efficiency, reduces the labor cost, and improves the consistency and stability of the products and other issues.



## Production equipment



Welding robot



Shearing machine



Laser cutting machine



Turret punching



Bending machine

Hong Kong company phone: 085230697009. cell I  
phone: 8613917849689; Whatsapp:  
8613917856548; Email: landiii@foxmail.com.

## Enterprise honor




## Cascade laying equipment

Laying hens cage system is installed with high precision and convenient maintenance, double side opening cage net structure, easy to feed and operate. The whole set of equipment adopts hot galvanized process, corrosion resistance, long life; high-density rearing is more space-saving, less investment, and good economic benefits. Cage rearing density is more than 3 times higher than flat rearing density. More than 3 times higher than the flat rearing density, improve the rearing density group epidemic prevention, prevent infectious diseases without contact with feces, so that laying hens are healthier and stronger, and the egg production rate is greatly increased. High degree of automation, centralized management, automatic control, saving energy consumption, greatly improve the breeding efficiency of farmers.

1. The company independently researches and develops the whole set of large stacked egg equipment made of 275g hot-dip galvanized material, which is corrosion-resistant and has a service life of up to 20 years.
2. The bottom net is made of high-strength steel wire, with a reasonable angle of inclination, which ensures that the eggs roll out gently and smoothly, greatly reducing the rate of broken eggs.
3. Reasonable spacing between layers, each layer with a top net, conducive to ventilation and prevent the occurrence of chicken disease.
4. The new type of large slope structure trough can make the chickens feed evenly, reduce feed waste, and lower the feeding cost.

Cascade laying equipment size



| 层数  | 占位面积(cm <sup>2</sup> ) | 单笼养殖量(羽) | 层高(mm) | 笼长(mm) | 笼深(mm) |
|-----|------------------------|----------|--------|--------|--------|
| 3-8 | 450                    | 8        | 700    | 1205   | 1200   |

Hong Kong company phone:085230697009.  
cell phone:8613917849689:Whatsapp:  
8613917856548:Email: landiii@foxmail.com.

# Cascade brood equipment



Stacked brooder cages are 1200mm apart, the cage frame is made of 275g hot-dip galvanized sheet, which is strong and durable, and the cage mesh is all made of hot-dip galvanized process.

The cage mesh is made of hot-dip galvanized technology, which has a long service life and is corrosion-resistant. According to the age of the chicks, two kinds of troughs are used, and equipped with adjusting plate, easy to adjust, can effectively meet the different growth stages of chicks feeding

It is easy to adjust and can effectively meet the feeding of chicks at different stages of growth. Using Qing'an regulator and drinker facilities, each needle valve drinker water supply is uniform, to ensure sufficient water for the chicks.

Supported by automatic feeding, automatic drinking, and automatic manure removal systems, the equipment is specialized and automated.

Cascade brood equipment size



☑Strong ☑Durable ☑Corrosion resistant



| 层数  | 占位面积(cm <sup>2</sup> ) | 单笼养殖量(羽) | 层高(mm) | 笼长(mm) | 笼深(mm) |
|-----|------------------------|----------|--------|--------|--------|
| 3-8 | 320                    | 12       | 450    | 1200   | 620    |

Hong Kong company phone:085230697009. cell phone: 8613917849689:Whatsapp:8613917856548:Email: landiii@foxmail.com.


## Stepped chicken equipment

Ladder egg-laying equipment is the same realization of automatic control of line feeding system, egg picking system and manure clearing system. It is characterized by convenient operation, high production efficiency and high economic benefits.

☑Convenient ☑Quick ☑Efficient



Stepped chicken equipment size




| 层数  | 占位面积(cm <sup>2</sup> ) | 单笼养殖量(羽) | 层高(mm) | 笼长(mm) | 笼深(mm) |
|-----|------------------------|----------|--------|--------|--------|
| 3-8 | 450                    | 8        | 700    | 1205   | 1200   |

Hong Kong company phone:085230697009. cell  
phone:8613917849689:Whatsapp:  
8613917856548:Email: landiii@foxmail.com.

# Feeding system

The trolley feeder has a specially developed leveler to ensure even feeding, and a hopper with an adjustable structure to regulate the amount of feed as the day grows older. Hot galvanized sheet material trough, the inner side is equipped with adjusting plate, above the adjusting plate is equipped with chicken blocking line, a variety of combinations to ensure that the chickens by the feeding, and will not have the phenomenon of running chickens.



| 层数 | 层高(mm) | 笼宽(mm) | 笼深(mm) | 笼高(mm) | 占位面积(cm²) | 单组养殖量(羽) |
|----|--------|--------|--------|--------|-----------|----------|
| 3  | 650    | 600    | 600    | 450    | 450       | 96       |
| 4  | 650    | 600    | 600    | 450    | 450       | 128      |
| 5  | 650    | 600    | 600    | 450    | 450       | 160      |
| 6  | 650    | 600    | 600    | 450    | 450       | 192      |
| 8  | 650    | 600    | 600    | 450    | 450       | 256      |

Hong Kong company phone:085230697009. cell phone: 8613917849689:Whatsapp:8613917856548:Email: landiii@foxmail.com.

## Pick up the egg system

The automatic egg collector system has advanced technology and reasonable structure. It adopts high-quality egg collecting belt to automatically transport the eggs from each column to the front end of the chicken coop, and it can choose centralized egg equipment and automatic cleaning, sorting and boxing equipment according to the size and scale of the chicken coop. The system greatly improves the degree of automation, increases labor efficiency and reduces the rate of broken eggs.



egg picker

p



Central egg collector



Egg Lifter

. cell phone:

## Nightsoicleaning system

Adopt conveyor belt type manure cleaning, can timely and effectively clean out the chicken manure, chicken manure will not ferment in the chicken coop, reduce ammonia production, make the air in the chicken coop fresher; chicken manure can also be directly dried after cleaning out and reuse, reduce environmental pollution, chicken manure utilization rate is high.



## Drinking water system



调压器  
Voltage regulator



水线前端  
Water front




吊碗乳头  
Hanging bowl of nipple



加药器  
Dosing device



升降水线  
Lifting line



吊碗  
Hanging bowl



## Ventilation cooling system



风机 fan ventilator



水帘 water curtain



通风窗 Ventilation window



Hong Kong company phone:085230697009. cell phone:  
8613917849689:Whatsapp:8613917856548:Email: landiii@foxmail.com.

## Environment control system

- 1, high and low temperature alarm, power failure alarm, overload, phase loss, alarm and prompt. 2, rotating ventilation air.
- 3, 1 probe has a problem with the automatic rejection of the control fan.
- 4, daily test alarm function, time can be freely set duration setting.
- 5, 20 groups of levels of ventilation each group level has a continuous time control rotation.
- 6, the maximum and minimum level restrictions.
- 7, temperature curve query, you can query the temperature change table in January. Lighting curve weight curve respiration curve target temperature curve
- 8、Automatic calculation of ventilation.
- 9、Temperature compensation, you can automatically adjust the length of ventilation time by detecting the outdoor or indoor temperature.

Domestic company phone: 4007567068:

Hong Kong company phone: 085230697009.


cell phone (micro letter): 8613917849689:

Domestic company website: [www.xiansd.com](http://www.xiansd.com)

Overseas multilingual website: [www.xiansh.cn](http://www.xiansh.cn), [www.en.xiansh.cn](http://www.en.xiansh.cn)

whatsapp: 8613917856548: email: [landii@foxmail.com](mailto:landii@foxmail.com).

Address: Zhumadian Industrial Park, Henan, China



## Location bar

1. Cost saving: it can reduce the building area of pig house, save the land for pig farm construction and reduce the construction investment.
2. Convenient management: it can effectively avoid competition and biting when feeding feed to the gestating sows group, and it can be added or limited feeding appropriately according to the growth and development characteristics of pigs, which is convenient for pig epidemic prevention and disinfection, and improves the efficiency of production management. Feeding, drinking water and feces treatment are concentrated, and covers a small area, generates less sewage, and is convenient for mechanized management.
3. Reduce interference and improve breeding: it is easy to observe the estrous period and breeding, facilitate insemination or this cross, improve the fertilization rate; avoid mutual interference and reduce mechanical abortion. Therefore, it is widely used.
4. Durable: hot-dip galvanized and welding process, durable, corrosion-resistant and good for cleaning.



## Childbirth bar

The wagon type feeder is equipped with a specially developed leveler to ensure even feeding, and a hopper with an adjustable structure to regulate the amount of feed as the age of the chickens grows. The hot galvanized sheet material trough, the inner side is equipped with an adjusting plate, above the adjusting plate is equipped with a feed blocking line, a variety of combinations to ensure that the pigs are free to feed, but will not have the phenomenon of running food.



| Configuration of blrth pens |         |                   |            |          |          |
|-----------------------------|---------|-------------------|------------|----------|----------|
| place                       | column  | U-Card            | crossbar   | floors   | rallings |
| imaklngs                    | 1" tube | 2imim steel plate | fiberglass | triangle | PVC      |
|                             |         |                   | plate      | plastlcs |          |

Hong Kong company phone:085230697009. cell phone: 8613917849689:Whatsapp:8613917856548:Email: landiii@foxmail.com.

## Conservation of bar

1. The plates are strong and made of hard PVC type plates.
2. All the steel is made of advanced galvanized process, anti-corrosion and rust-proof with long life span.
3. Customized according to the size of customer's house type to meet your various needs.



| 保育栏配置 |     |       |     |    |    |        |
|-------|-----|-------|-----|----|----|--------|
| 部位    | 栏体  | U卡    | 梁   | 地板 | 立柱 | 拦门     |
| 材料    | PVC | 2mm钢板 | 玻璃钢 | 塑料 | 方管 | PCV+U卡 |

Hong Kong company phone:085230697009. cell phone:  
8613917849689:Whatsapp:8613917856548:Email: landiii@  
foxmail.com.

## Fattening column

1. The pen system greatly improves the breeding rate per unit area.
2. Customized according to customer selection to meet your various needs.
3. No dead spot welding, overall galvanized process, anti-corrosion and rust-proof long life.



| 育肥栏配置 |           |       |    |         |
|-------|-----------|-------|----|---------|
| 部位    | 栏体        | 地脚板   | 立柱 | 拦门      |
| 材料    | 4" 管、6" 管 | 6mm钢板 | 方管 | 双插销双开拦门 |

# Steel structure engineering

1, according to the topography of the terrain for customers to design and plan the overall design and construction program. All the components are prefabricated in the factory and simply assembled on site, which greatly shortens the construction period.

2、 Beautiful and practical, durable and easy to maintain. The lines of the steel structure building are simple and smooth, with a modern sense. Colorful wall panels are available in a variety of colors, and other materials can be used for the wall, which makes it more flexible.

3、 Steel structure building is light in weight, reduces the cost of foundation, is quick in construction, can be put into operation as early as possible, and has great comprehensive economic benefits.



Hong Kong company phone:085230697009. cell phone:8613917849689. -  
Whatsapp:8613917856548:Email: landiii@foxmail.com.

## Team style

